FILE 'HOME' ENTERED AT 11:44:23 ON 29 SEP 2008

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION

FULL ESTIMATED COST

0.21 0.21

FILE 'CAPLUS' ENTERED AT 11:44:35 ON 29 SEP 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 29 Sep 2008 VOL 149 ISS 14 FILE LAST UPDATED: 28 Sep 2008 (20080928/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2008.

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/legal/infopolicy.html

```
=> s amine and (amine oxide) and antimicrobial
        296499 AMINE
        271369 AMINES
        449408 AMINE
                 (AMINE OR AMINES)
        296499 AMINE
        271369 AMINES
        449408 AMINE
                 (AMINE OR AMINES)
       1908845 OXIDE
        366051 OXIDES
       2012185 OXTDE
                 (OXIDE OR OXIDES)
          6112 AMINE OXIDE
                 (AMINE (W) OXIDE)
         81286 ANTIMICROBIAL
          5696 ANTIMICROBIALS
         83031 ANTIMICROBIAL
```

(ANTIMICROBIAL OR ANTIMICROBIALS)
L1 192 AMINE AND (AMINE OXIDE) AND ANTIMICROBIAL

=> s 11 and (ay<2001 and py<2001 and pry<2001) 3941897 AY<2001 21004357 PY<2001 3411245 PRY<2001

68 L1 AND (AY<2001 AND PY<2001 AND PRY<2001)

=> d 12 ti 1-68

- 2 ANSWER 1 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Aqueous alkaline compositions for disinfecting and maintaining vertical or inclined lavatory surfaces free of soap scum
- L2 ANSWER 2 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Aprimicrobial cleaning composition containing a cationic surfactant useful for manual dishwashing
- L2 ANSWER 3 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Oil-in-water suspoemulsion system for laundering, cleaning or surface treatment
- L2 ANSWER 4 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Ouinoline-indole antimicrobial agents
- L2 ANSWER 5 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Astimicrobial cleaning composition containing a cationic surfactant
- L2 ANSWER 6 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Multipurpose antimicrobial and antiviral compositions containing an oxidizing complex
- L2 ANSWER 7 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Ultrasonic cleaning compositions for removal of food soil from hard surfaces
- L2 ANSWER 8 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Disinfecting and cleaning compositions containing antimicrobial components for various surfaces
- L2 ANSWER 9 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Antimicrobial perfume compositions
- L2 ANSWER 10 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Amine oxide disinfectants containing isopropyl alcohol
- L2 ANSWER 11 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Stabilized shampoo containing siloxysilicates
- L2 ANSWER 12 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Preparation of antimicrobial detergent compositions comprising iodide-surfactant complex
- L2 ANSWER 13 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Antimicrobial, no-rinse, hard-surface cleaners
- L2 ANSWER 14 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Non-toxic antimicrobial lubricant
- L2 ANSWER 15 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Compositions comprising aromatic sulfonate surfactant, sulfonated ester, nonlonic surfactant and water-soluble solvent, and process for cleaning and finishing hard surfaces

- L2 ANSWER 16 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI One liquid-type deodorant cleaners for car interior and method for deodorization
- L2 ANSWER 17 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Skin cleanser comprising surfactants and antimicrobial compositions
- L2 ANSWER 18 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Lathering surfactants in cleansing compositions for skin and/or hair which also deposits skin care actives
- L2 ANSWER 19 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Fresh produce wash for increasing shelf life
- L2 ANSWER 20 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Solid activator composition for use with oxygen bleaches
- L2 ANSWER 21 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- II Antimicrobial multipurpose microemulsion cleaner containing a cationic surfactant/disinfectant
- L2 ANSWER 22 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Cleaning and disinfecting compositions with shiny effects especially useful for hard surfaces
- L2 ANSWER 23 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Non-toxic antimicrobial lubricant
- L2 ANSWER 24 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Method for sanitization of substrates with detergent compositions
- L2 ANSWER 25 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Aldehyde and/or antimicrobial composition for reduction of animal waste odors
- L2 ANSWER 26 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Cleansing compositions with antimicrobial, antidandruff, antitching, and deodorant effect
- L2 ANSWER 27 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Cleansing products
- L2 ANSWER 28 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Cleansing products
- L2 ANSWER 29 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Cleansing products
- L2 ANSWER 30 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Cleansing products
- L2 ANSWER 31 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Cleansing products
- L2 ANSWER 32 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- II Cleansing products
- L2 ANSWER 33 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Aqueous, astimicrobial liquid cleaning formulation

- L2 ANSWER 34 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- ${\tt TI}-{\tt Antimicrobial}$ cleaning compositions containing aromatic alcohols or phenols
- L2 ANSWER 35 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Cleaning compositions with effective cleaning and shine performance
- L2 ANSWER 36 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Topical compositions comprising dispersed surfactant complex
- L2 ANSWER 37 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI High-foaming detergent composition having a nonionic surfactant base and preparation thereof
- L2 ANSWER 38 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Skin cleansing formulations with terpene solvents and corn meal scrubber
- L2 ANSWER 39 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Contraceptive release systems with antibacterial and/or antiviral effect
- L2 ANSWER 40 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Germicidal liquid laundry detergent compositions
- L2 ANSWER 41 OF 68 CAPLUS COPYRIGHT 2008 ACS on SIN
- TI Antimicrobial hand cleansing compositions showing no skin irritation
- L2 ANSWER 42 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Aqueous antimicrobial compositions containing organotin compounds
- L2 ANSWER 43 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Cleaning and disinfecting composition containing tertiary alkylamine and amine oxide
- L2 ANSWER 44 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Disinfectant and sanitizing compositions based on essential oils
- L2 ANSWER 45 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Foam-forming microbicidal aerosols.
- L2 ANSWER 46 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Friction reducing composition and lubricant for motors
- L2 ANSWER 47 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Quaternary ammonium compositions for disinfection
- L2 ANSWER 48 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Polyglycidol amine oxide surfactants having antimicrobial activity
- L2 ANSWER 49 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Antimicrobial ophthalmic solutions containing dodecyldimethyl-(2-phenoxyethyl)ammonium bromide as preservative
- L2 ANSWER 50 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Disinfectant compositions containing amine oxides
- L2 ANSWER 51 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN

- TI Stable antimicrobia: compositions containing alkylamine oxides and carboxylic acids
- L2 ANSWER 52 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Disinfectant compositions containing aqueous lower alcohol, acidic component, and amino- or ammonium-based microbicide.
- L2 ANSWER 53 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Dentifrices containing isopropylmethylphenols, fatty acid alkanolamides, and alkylamine oxides
- L2 ANSWER 54 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Process for removing and preventing plaque and calculus by utilizing a mixture of an alkyl-N-betaine and an alkyldimethylamine oxide
- L2 ANSWER 55 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Mixtures of amine oxides and surfactants with antimicrobial activity
- L2 ANSWER 56 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Aptimicrobial mixture containing a bisbiguanide and an amine oxide
- L2 ANSWER 57 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI N-[4(1-Naphthyloxy)butyl]amine N-oxides
- L2 ANSWER 58 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Basic amino or ammonium antimicrobial agent-polyethylene glycol ester surfactant-betaine and/or amine oxide surfactant compositions
- L2 ANSWER 59 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Anionic-amphoteric based antimicrobial shampoo
- L2 ANSWER 60 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Amphoteric-nonionic based antimicrobial shampoo
- L2 ANSWER 61 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Nonionic based antimicrobial shampoo
- L2 ANSWER 62 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Astimicrobial compositions
- L2 ANSWER 63 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Antimicrobial compositions
- L2 ANSWER 64 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Antimicrobial compositions
- L2 ANSWER 65 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Antimicrobial compositions
- L2 ANSWER 66 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Antimicrobial compositions employing betaines and amine oxides
- L2 ANSWER 67 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN
- TI Antimicrobial compositions employing substituted alanines and Tamine oxides

L2 ANSWER 68 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN

TI Germicidal composition

=> d ibib abs 1-10

L2 ANSWER 1 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN ACCESSION NUMBER: 2004:1082162 CAPLUS Full-text

DOCUMENT NUMBER: 143:28482

TITLE: Aqueous alkaline compositions for disinfecting and

maintaining vertical or inclined lavatory surfaces free of soap scum

free of soap scum INVENTOR(S): Urban, Virginia L.

PATENT ASSIGNEE(S): Reckitt & Colman Inc., USA

SOURCE: Can. Pat. Appl., 18 pp.

CODEN: CPXXEB
DOCUMENT TYPE: Patent

LANGUAGE: English FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
CA 2268863	A1	19991225	CA 1999-2268863	19990413 <
PRIORITY APPLN. INFO.:			US 1998-90633P P	19980625 <

AB Anionic surfactant-free aq. compns. for the title use, that are not intended to be rinsed off immediately after application, contain linear primary alc. ethoxylate 0.01-3, amine oxide 0.01-3, 21 Et-free, Pr- or Bu-ethers of glycol 0.01-5, microbial quaternary ammonium compound 0.01-5, and chelating agent 0.001-0.25%.

L2 ANSWER 2 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN ACCESSION NUMBER: 2002:345945 CAPLUS Full-text

DOCUMENT NUMBER: 136:356817

TITLE: Antimicrobial cleaning composition

containing a cationic surfactant useful for manual

dishwashing

INVENTOR(S): McCandlish, Elizabeth; Frank, Brian

PATENT ASSIGNEE(S): Colgate-Palmolive Co., USA

SOURCE: U.S., 5 pp., Cont.-in-part of U.S. 6,140,289.

CODEN: USXXAM

DOCUMENT TYPE: Patent LANGUAGE: English

LANGUAGE: Er FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO. DA	ATE
US 6384004	B1	20020507	US 2001-782600 20	0010213 <
US 6140289	A	20001031	US 2000-490546 20	0000124 <
PRIORITY APPLN. INFO.:			US 2000-490546 A2 20	0000124 <

OTHER SOURCE(S): MARPAT 136:356817

An improvement is described in a cleaning compns. which are esp. effective in disinfecting the surface being cleaned and in the removal of oily and greasy soil without leaving streaks which contains a mixture of at least one nonionic surfactant, a cationic surfactant and an amine oxide surfactant, and water. An example of a cleaning composition contained BTC 888 (mixed cationic surfactants) 5.4, cocoamidopropuldimethylamine oxide 18.4, APG 625

(polyglucoside) 1.7, Neodol 91-6 (ethoxylated C9-11 alcs.) 14.4 and balance of water to 100%.

REFERENCE COUNT: THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

ANSWER 3 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN ACCESSION NUMBER: 2002:213810 CAPLUS Full-text

DOCUMENT NUMBER: 136:249436

TITLE: Oil-in-water suspoemulsion system for laundering,

cleaning or surface treatment

INVENTOR(S): Ochomogo, Maria G.; Deleo, Malcolm A.; Selbach,

Hanneliese S.

PATENT ASSIGNEE(S): The Clorox Company, USA

SOURCE: U.S., 9 pp., Cont.-in-part of U.S. Ser. No. 427,140.

CODEN: USXXAM Patent.

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 8 PATENT INFORMATION:

DOCUMENT TYPE:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 6358909	B1	20020319	US 2000-594666	20000615 <
US 5972876	A	19991026	US 1996-731653	19961017 <
PRIORITY APPLN. INFO.:			US 1996-731653 A2	19961017 <
			US 1999-139904P P	19990617 <
			HS 1999-427140 A2	19991025 <

AR The suspoemulsion comprises: (A) ≥50% water as a continuous phase, (B) 0.01-50% at least one Active (definition given), (C) an encapsulate including an oil substantially completely coating B and suspending it within the aqueous phase, and (D) at least a 1st and 2nd nonionic surfactant having HLB (hydrophilic-lipophilic balance) <7 and >10 resp., wherein B is selected from an abrasive agent such as silica, an antimicrobial agent such as quaternary ammonium salts, fluoropolymers, polysaccharides, polycarboxylates, polystyrenesulfonates, polyvinylpyrrolidones, Me vinyl ether, poly(vinyl

alc.), or mixture thereof. REFERENCE COUNT: 15 THERE ARE 15 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L2 ANSWER 4 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2001:25778 CAPLUS Full-text DOCUMENT NUMBER: 134:86170

TITLE .

Quinoline-indole antimicrobial agents

INVENTOR(S): Cuny, Gregory D.; Hauske, James R.; Heefner, Donald L.; Hoemann, Michael Z.; Kumaravel, Gnanasambandam;

Melikian-badalian, Anita; Rossi, Richard F.

PATENT ASSIGNEE(S): Sepracor, Inc., USA

SOURCE: U.S., 151 pp., Cont.-in-part of U.S. Ser. No. 45,051.

> CODEN: USXXAM Patent

DOCUMENT TYPE: LANGUAGE: English

FAMILY ACC. NUM. COUNT: 7

PA	TENT NO.	KIND	DATE	AP	PLICATION NO.	DATE	
US	6172084	B1	20010109	US	1998-99640	19980618	<
US	6207679	B1	20010327	US	1998-45051	19980319	<
US	6103905	A	20000815	US	1998-213385	19981211	<
US	6376670	B1	20020423	US	2000-658690	20000908	<

PRIORITY APPLN. INFO.: US 1997-878781 B2 19970619 <--US 1998-45051 A2 19980319 <--US 1998-99640 A2 19980618 <--US 1998-213385 A1 19981211 <--US 2000-639622 A2 2000815 <---

OTHER SOURCE(S): MARPAT 134:86170

AB Indolylquinolines I [X = N; Y = NR; R-R3 = independently H, halogen, alkyl, alkenyl, alkynyl, OH, alkoxy, silyloxy, NH2, NO2, SH, alkylthio, imino, amido, phosphoryl, phosphonate, phosphine, CO, CONH2, anhydride, silvl, alkylsulfonyl, arylsulfonyl, alkylseleno, aldehyde, ester, heteroalkyl, CN, guanidine, amidine, acetal, ketal, amine oxide, (hetero)aryl, azide, aziridine, carbamate, epoxide, C(:NH)OH, imide, oxime, SO2NH2, CSNH2, thiocarbamate, urea, thiourea, or (CH2)mR80; R4R5, R6R7 = atoms required to complete an (un) substituted fused benzo ring system; R80 = (un) substituted aryl, cycloalkyl, cycloalkenyl, heterocycle, or polycycle; m = 0-8] were prepared by conventional or combinatorial synthetic methods for use as bactericides. Thus, 4-H2NCH2C6H4CO2H was esterified, N-tertbutoxycarbonylated, reduced, and treated with iodine to give 4-BocNHCH2C6H4CH2I, which was coupled with the indolvlquinolinemethanol fragment and deblocked to give the product II. II had MIC's <7 ug/mL against methicillin-resistant Staphylococcus aureus, vancomycin-resistant Enterobacter sp., and Streptococcus pneumoniae.

II

REFERENCE COUNT: 39 THERE ARE 39 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L2 ANSWER 5 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN ACCESSION NUMBER: 2000:769076 CAPLUS Full-text DOCUMENT NUMBER: 133:336908

TITLE: Antimicrobial cleaning composition containing a cationic surfactant

INVENTOR(S): McCandlish, Elizabeth; Frank, Brian PATENT ASSIGNEE(S): Colgate-Palmolive Company, USA

SOURCE: U.S., 5 pp.
CODEN: USXXAM

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2 PATENT INFORMATION:

PAT	PATENT NO.					D	DATE			APPL	ICAT	ION :	NO.		DATE			
US	6140				Α.	_	2000			US 2	000-	4905	46		2		124 <	
	2001		42		A2		2001			WO 2							123 <	
WO	2001	0534	42		A3		2001	1220										
	W:	ΑE,	AG,	AL,	AM,	AT,	AU,	AZ,	BA,	BB,	BG,	BR,	BY,	ΒZ,	CA,	CH,	CN,	
		CR,	CU,	CZ,	DE,	DK,	DM,	DΖ,	EE,	ES,	FI,	GB,	GD,	GΕ,	GH,	GM,	HR,	
		HU,	ID,	IL,	IN,	IS,	JP,	KE,	KG,	KP,	KR,	ΚZ,	LC,	LK,	LR,	LS,	LT,	
		LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	MZ,	NO,	NZ,	PL,	PT,	RO,	RU,	
		SD,	SE,	SG,	SI,	SK,	SL,	ΤJ,	TM,	TR,	TT,	TZ,	UA,	UG,	UZ,	VN,	YU,	
		ZA,	ZW															
	RW:	GH,	GM,	KE,	LS,	MW,	MZ,	SD,	SL,	SZ,	TZ,	UG,	ZW,	AT,	BE,	CH,	CY,	
		DE,	DK,	ES,	FI,	FR,	GB,	GR,	ΙE,	IT,	LU,	MC,	NL,	PT,	SE,	TR,	BF,	
		BJ,	CF,	CG,	CI,	CM,	GA,	GN,	GW,	ML,	MR,	NE,	SN,	TD,	TG			
AU	2001	0345	27		A		2001	0731		AU 2	001-	3452	7		2	0010	123 <	
US	6384	004			B1		2002	0507		US 2	001-	7826	00		2	0010	213 <	
PRIORITY	APP	LN.	INFO	. :						US 2	000-	4905	46		A 2	0000	124 <	
										WO 2	001-	US22	00		W 2	0010	123	

OTHER SOURCE(S): MARPAT 133:336908

AB A cleaning compn. effective in disinfecting the surface being cleaned and in the removal of oily and greasy soil without leaving streaks contains a mixture of 21 nonionic surfactant, a cationic surfactant, an amine oxide surfactant, an alkyl polyglucoside surfactant and water. Thus, a composition was prepared by mixing BCT 888 5.4, cocoamidopropyldimethylamine oxide 18.4, APG 625 1.7, Neodol 91-6 (cationic surfactant) 14.4, and H20 60.1%.

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD, ALL CITATIONS AVAILABLE IN THE RE FORMAT

L2 ANSWER 6 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN ACCESSION NUMBER: 2000:706927 CAPLUS Full-text

DOCUMENT NUMBER: 133:248380

TITLE: Multipurpose antimicrobial and antiviral

compositions containing an oxidizing complex

INVENTOR(S): Hei, Robert D. P.; Smith, Kim R.; Laugen, Polly D.;

Kennedy, Shaun P. Ecolab Inc., USA

PATENT ASSIGNEE(S): Ecolab Inc., USA
SOURCE: PCT Int. Appl., 95 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English FAMILY ACC. NUM. COUNT: 1

PA'	TENT	NO.			KIN	D	DATE		APPLICATION NO.						DATE			
						_												
WO	2000	0577	03		A1		2000	1005		WO 2	000-	US61	47		2	0000	309 <	
	W:	ΑE,	AL,	AM,	ΑT,	ΑT,	AU,	ΑZ,	BA,	BB,	BG,	BR,	BY,	CA,	CH,	CN,	CR,	
		CU,	CZ,	CZ,	DE,	DE,	DK,	DK,	DM,	EE,	EE,	ES,	FI,	FI,	GB,	GD,	GE,	
		GH,	GM,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	KE,	KG,	KP,	KR,	KR,	ΚZ,	LC,	
		LK,	LR,	LS,	LT,	LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	NO,	NZ,	PL,	
		PT,	RO,	RU,	SD,	SE,	SG,	SI,	SK,	SK,	SL,	ΤJ,	TM,	TR,	TT,	TZ,	UA,	
		UG,	UZ,	VN,	YU,	ZA,	ZW,	AM,	AZ,	BY,	KG,	ΚZ,	MD,	RU,	ΤJ,	TM		
	RW:	GH,	GM,	KE,	LS,	MW,	SD,	SL,	SZ,	TZ,	UG,	ZW,	AT,	BE,	CH,	CY,	DE,	
		DK,	ES,	FΙ,	FR,	GB,	GR,	IE,	IT,	LU,	MC,	NL,	PT,	SE,	BF,	ΒJ,	CF,	
		CG,	CI,	CM,	GA,	GN,	GW,	ML,	MR,	NE,	SN,	TD,	TG					
US	6436	445			B1		2002	0820		US 1	999-	2775	92		1	9990	326 <	

AB Multipurpose antimicrobial and antiviral compns. contain an oxidizing complex, which is a reaction product through an in situ preparation combining a quaternary or protonizable mitrogen compound, an oxidant compound and a halide source at controlled proportions in aqueous, non-aqueous, gel, aerosol, solid-phase or powdered media. The compds. can be used to reduce microbial and viral populations on a surface of an object, a body, or or stream of water.

REFERENCE COUNT: 18 THERE ARE 18 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L2 ANSWER 7 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN ACCESSION NUMBER: 2000:351636 CAPLUS Full-text

DOCUMENT NUMBER: 132:349319

TITLE: Ultrasonic cleaning compositions for removal of food

soil from hard surfaces

INVENTOR(S): Bodet, Jean-Francois; Scheper, William Michael;

McKenzie, Kristen Lynne; Kasturi, Chandrika

PATENT ASSIGNEE(S): The Procter & Gamble Company, USA SOURCE: PCT Int. Appl., 85 pp.

SOURCE: PCT Int. Appl., 85 p

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1 PATENT INFORMATION:

WO 2000029540	PAT	PATENT NO.				KIND DATE			APPLICATION NO.						DATE				
CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MM, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, IJ, IM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW RM: GH, GM, KE, LS, MW, SD, SL, SZ, IZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, MG, GA, GM, GM, ML, MR, NS, NT, DT, GC CA 2346936 Al 20000525 CA 1999-2348936 19991116 <	WO	2000	0295	40		A1		2000	0525	1	WO 1	999-1	US27	182		1	9991	116	<
IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MN, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW RN: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG CA 2348936 A1 2000525 CA 1999-2348936 19991116 < EP 1131401 A1 20010912 EP 1999-963911 19991116 < R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, FT, IE, SI, LT, LV, FI, RO BR 9915733 A 20011002 BR 1999-15733 19991116 < BR 9915733 A 20012017 DY 2000-582524 19991116 < MX 2001FA04936 A 20010710 MX 2001-PA4936 20010516 <		W:	ΑE,	AL,	AM,	AT,	AU,	AZ,	BA,	BB,	BG,	BR,	BY,	CA,	CH,	CN,	CR,	CU,	
MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, JJ, TM, TR, TT, UA, UG, US, UZ, VM, YU, ZA, ZW RM: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GM, GM, MR, MR, NE, SN, TD, TG CA 2346936 Al 20000525 CA 1999-2348936 19991116 < EP 1131401 Al 20010912 EP 1999-963911 19991116 < R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO BR 9915733 A 20011002 BR 1999-15733 19991116 < JT 2002530484 T 20020917 JP 2000-582524 19991116 < MX 2001FA04936 A 20010710 MX 2001-PA4936 20010516 <			CZ,	DE,	DK,	DM,	EE,	ES,	FI,	GB,	GD,	GE,	GH,	GM,	HR,	HU,	ID,	IL,	
SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VW, YU, ZA, ZW RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AI, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG CA 2348936 A1 20000525 CA 1999-2348936 19991116 < R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO BR 9915733 A 20011002 BR 1999-15733 19991116 < BR 9915733 A 2001207 JP 2000-582524 19991116 < MX 2001PA04936 A 20010710 MX 2001-PA4936 20010516 <			IN,	IS,	JP,	KE,	KG,	KP,	KR,	KZ,	LC,	LK,	LR,	LS,	LT,	LU,	LV,	MA,	
RN: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG CA 234936 A1 20000525 CA 1999-2434936 19991116 < EP 1131401 A1 20010912 EP 1999-963911 19991116 < R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO BR 9915733 A 20011002 BR 1999-15733 19991116 < JP 2002530484 T 20020917 JP 2000-582524 19991116 < MX 2001FA04936 A 20010710 MX 2001-PA4936 20010516 <			MD,	MG,	MK,	MN,	MW,	MX,	NO,	NZ,	PL,	PT,	RO,	RU,	SD,	SE,	SG,	SI,	
DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG CA 2348936 Al 20000525 CA 1999-2348936 19991116 < R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, FT, EL, SI, LT, LV, FI, RO BR 9915733 A 20011002 BR 1999-15733 19991116 < DX 2001520484 T 20020917 JP 2000-582524 19991116 < DX 2001FA04936 A 20010710 MX 2001-PA4936 20010516 <			SK,	SL,	TJ,	TM,	TR,	TT,	UA,	UG,	US,	UZ,	VN,	YU,	ZA,	ZW			
CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG CA 2348936 A1 20000525 CA 1999-2348936 19991116 < EP 1131401 A1 20010912 EP 1999-963911 19991116 < R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, FT, IE, SI, LT, LV, FI, RO BR 9915733 A 20011002 BR 1999-15733 19991116 < JR 2002530484 T 20020917 JP 2000-582524 19991116 < MX 2001FA04936 A 20010710 MX 2001-PA4936 20010516 <		RW:	GH,	GM,	KE,	LS,	MW,	SD,	SL,	SZ,	TZ,	UG,	ZW,	AT,	BE,	CH,	CY,	DE,	
CA 2348936 A1 20000525 CA 1999-2348936 19991116 < EP 1131401 A1 20010912 EP 1999-963911 19991116 < R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO BR 9915733 A 20011002 BR 1999-15733 19991116 < JP 2002530484 T 20020917 JP 2000-582524 19991116 < MX 2001FA04936 A 20010710 MX 2001-PA4936 20010516 <			DK,	ES,	FI,	FR,	GB,	GR,	ΙE,	IT,	LU,	MC,	NL,	PT,	SE,	BF,	ВJ,	CF,	
EP 1131401 A1 20010912 EP 1999-963911 19991116 < R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO BR 9915733 A 20011002 BR 1999-15733 19991116 < JP 2002530484 T 20020917 JP 2000-582524 19991116 < MX 2001PA04936 A 20010710 MX 2001-PA4936 20010516 <			CG,	CI,	CM,	GA,	GN,	GW,	ML,	MR,	NE,	SN,	TD,	TG					
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO BR 9915733 A 20011002 BR 1999-15733 19991116 < JP 2002530484 T 20020917 JP 2000-582524 19991116 < MX 2001FA04936 A 20010710 MX 2001-PA4936 20010516 <	CA	2348	936			A1		2000	0525		CA 1	999-	2348	936		1	9991	116	<
IE, SI, LT, LV, FI, RO BR 9915733 A 20011002 BR 1999-15733 19991116 < JP 2002530484 T 20020917 JP 2000-582524 19991116 < MX 2001PA04936 A 20010710 MX 2001-PA4936 20010516 <	EP	1131	401			A1		2001	0912	1	EP 1	999-	9639	11		1	9991	116	<
BR 9915733 A 20011002 BR 1999-15733 19991116 < JP 2002530484 T 20020917 JP 2000-582524 19991116 < MX 2001PA04936 A 20010710 MX 2001-PA4936 20010516 <		R:	AT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	IT,	LI,	LU,	NL,	SE,	MC,	PT,	
JP 2002530484 T 20020917 JP 2000-582524 19991116 < MX 2001PA04936 A 20010710 MX 2001-PA4936 20010516 <			IE,	SI,	LT,	LV,	FI,	RO											
MX 2001PA04936 A 20010710 MX 2001-PA4936 20010516 <	BR	9915	733			A		2001	1002	1	BR 1	999-	1573	3		1	9991	116	<
MX 2001PA04936 A 20010710 MX 2001-PA4936 20010516 <	JP	2002	5304	84		T		2002	0917		JP 2	000-	5825	24		1	9991	116	<
PRIORITY APPLN. INFO.: US 1998-108543P P 19981116 <											MX 2	001-	PA49	36		2	0010	516	<
	PRIORITY	Y APP	LN.	INFO	. :					1	US 1	998-	1085	43P	1	P 1	9981	116	<
WO 1999-US27182 W 19991116 <										1	WO 1	999-1	US27	182	1	W 1	9991	116	<

OTHER SOURCE(S): MARPAT 132:349319

Ultrasonic cleaning compns., or UCC's for esp. tableware, comprise .apprx.0.01-89%, preferably.apprx.0.1-80%, even more preferably .apprx.0.5-75%, an ultrasonic cleaning agent, where the composition is low foaming, has an interfacial tension .apprx.0.0001-10% mbm-1, preferably .apprx.0.0001-1% mbm-1, more preferably .apprx.0.001-1% mbm-1 and is substantially free of antiforming agents. An example cleaner contained ethoxylated alkyl sulfate 15.00, polyhydroxy fatty acid 2.2, amine oxide 2.2, ethoxylated undecyl alc. 0.5, 1,3-bis(methylamino)cyclohexane 4.0, MgCl2 0.72, Ca citrate 0.35, suds stabilizer di-Me acrylate-dimethylaminoethyl

methacrylate copolymer 0.5%, and the balance water.

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

ACCESSION NUMBER: 2000:335115 CAPLUS Full-text

DOCUMENT NUMBER: 132:323348

TITLE: Disinfecting and cleaning compositions containing

antimicrobial components for various surfaces Serego, Giadra Allighieri; Romano, Nicoletta

INVENTOR(S): PATENT ASSIGNEE(S): Procter and Gamble Company, USA

SOURCE: Eur. Pat. Appl., 13 pp. CODEN: EPXXDW

DOCUMENT TYPE: Pat.ent.

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1 PATENT INFORMATION:

PAT	PATENT NO.			KIN	KIND DATE				APPI	ICAT	ION		DATE					
						-												
EP	1001	012			A1		2000	0517		EP 1	998-	8702	49		1	9981	110 <	:
	R:	ΑT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	IT,	LI,	LU,	NL,	SE,	MC,	PT,	
		ΙE,	SI,	LT,	LV,	FI,	RO											
WO	2000	0279	81		A1		2000	0518		WO 1	.999-	US26	590		1	9991	110 <	:
	W:	AU,	CA,	JP,	MX,	US												
	RW:	ΑT,	BE,	CH,	CY,	DE,	DK,	ES,	FI,	FR,	GB,	GR,	ΙE,	ΙT,	LU,	MC,	NL,	
		PT,	SE															

EP 1998-870249 A 19981110 <--PRIORITY APPLN. INFO.:

The disinfecting and cleaning compn. comprises a peroxygen bleach, a chelating agent, a quaternary ammonium compound and an essential oil. Thus, a composition comprised hydrogen peroxide 1.2, Thymol 0.045, poly(propylene glycol) monobutyl ether 0.25, amine oxide 0.55, Butyl Carbitol 0.55, butoxy propanol 0.55, ethanol 9.4, citric acid 1.5, salicylic acid 0.03, Bu hydroxy toluene 0.01, quaternary ammonium salt 0.1-5 parts and water balanced.

THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS REFERENCE COUNT: 6 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L2 ANSWER 9 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN ACCESSION NUMBER: 2000:290805 CAPLUS Full-text

DOCUMENT NUMBER: 132:325853

TITLE: Antimicrobial perfume compositions

INVENTOR(S): Holzner, Gunter Firmenich Sa, Switz. PATENT ASSIGNEE(S): SOURCE: PCT Int. Appl., 44 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: French FAMILY ACC. NUM. COUNT: 1

PA:	PATENT NO.				KIND DATE			APPLICATION NO.					DATE			
WO	2000024			A1	- 2	2000	0504	WO	1999-	IB163	35		19	9910	006	<
				CY,	DE,	DK,	ES,	FI, FF	, GB,	GR,	IE,	IT,	LU,	MC,	NL,	
	9907057			Α			1017		1999-					9910		
	1043968			A1 B1			1018 0915	EP	1999-	94631	36		19	99910	006	<
111			CH,					GB, GF	, IT,	LI,	LU,	NL,	SE,	MC,	PT,	
	IE	, SI,	LT,	LV,	FI,	RO										
JP	2002528	566		T	2	2002	0903	JP	2000-	5779	78		19	99910	006	<
ES	2229767			Т3	- 2	2005	0416	ES	1999-	94631	36		19	99910	006	<
US	6479456			В1	2	2002	1112	US	2000-	6020	75		20	00006	523	<
PRIORITY	APPLN.	INFO	. :					CH	1998-	2154			A 19	9810	26	<

W 19991006 <--

AB The invention concerns antimicrobial perfume compns. comprising: a perfume ingredient having an antimicrobial activity of at least 80% as measured by the "agar surface coating test" (ACST), by the "vapor phase test" (VPT) or by the "direct spray method" (DSM); and an active ingredient selected among a grapefruit extract, a Fumaria extract, an ester of fumaric acid or lactic acid. The compns. may addnl. contain surfactants, softening agents, etc. Thus, a composition contained hexyl acetate 5.0, isobornyl acetate 8.0, linalyl acetate 9.2. Ambrox 0.3. bergamot oil 18.0. camphor 2.5. cedar oil 8.5, tricyclo[5.2.1.0]dec-3-en-8- vl propionate 3.5, coumarin 4.0, dihydromyrcenol 14.0, dihydroterpeniol 12.5, di-Ph oxide 1.5, 3-p-menthanone 4.0, nerol oxide 0.5, tetralinol 6.5, and 2.4-dimethyl-3-cyclohexene-1carboxaldehyde 2.0 parts by weight

REFERENCE COUNT:

THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L2 ANSWER 10 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN 2000:289272 CAPLUS Full-text ACCESSION NUMBER:

DOCUMENT NUMBER:

132:284222 TITLE: Amine oxide disinfectants

containing isopropyl alcohol INVENTOR(S): Devinsky, Ferdinand; Mlynarcik, Dusan; Lacko, Ivan

PATENT ASSIGNEE(S): Univerzita Komenskeho, Slovakia

SOURCE: Slovakia, 3 pp. CODEN: SLXXFO

DOCUMENT TYPE: Patent LANGUAGE: Slovak

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
SK 279821	В6	19990413	SK 1994-1112	19940916 <
PRIORITY APPLN. INFO.:			SK 1994-1112	19940916 <

AB Disinfectants contg. 0.1-1.0% alkyldimethylamine oxides with long-chain (C10-C18) straight or branched alkyls in 30-95% aqueous isopropanol as a vehiculum with its own antimicrobial activity are described. Other components are 0.1-1.0% chlorhexidine digluconate, 1.0% glycerol, and 0.5-1.0% quaternary organic ammonium salts substituted with Me, Benzyl, and C12-C16 alkyls. The components provide a good product stability, broad antimicrobial spectrum, good detergent and penetration properties, and the presence of glycerol prevents excessive skin drying after application. These products can be used for the disinfection of hands and other body surfaces, in medical practice, community hygiene, food industry, agriculture, etc. An example of a disinfectant containing (1-methyldodecyl)dimethylamine oxide, carbethopendecinium bromide, and chlorhexidine digluconate and its antimicrobial activity against test microorganisms is presented.

=> FIL STNGUIDE		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	73.70	73.91
DISCOUNT AMOUNTS (FOR OUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-8.00	-8.00

FILE 'STNGUIDE' ENTERED AT 11:51:25 ON 29 SEP 2008 USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION.

LAST RELOADED: Sep 26, 2008 (20080926/UP).

=> d ibib abs 11-20

YOU HAVE REQUESTED DATA FROM FILE 'CAPLUS' - CONTINUE? (Y) /N:v

L2 ANSWER 11 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN ACCESSION NUMBER: 2000:259959 CAPLUS Full-text

Patent

DOCUMENT NUMBER: 132:298452

TITLE:

Stabilized shampoo containing siloxysilicates Reich, Charles; Chupa, Janine A.; Kozubal, Cheryl L.; INVENTOR(S):

Su, Dean Terng-Tzong

PATENT ASSIGNEE(S): Colgate-Palmolive Company, USA

SOURCE: PCT Int. Appl., 43 pp.

CODEN: PIXXD2

DOCUMENT TYPE:

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1 PATENT INFORMATION:

						KIND DATE												
	2000																	<
							AZ,											
		CZ,	DE,	DK,	DM,	EE,	ES,	FI,	GB,	GD,	GE,	GH,	GM,	HR,	HU,	ID,	IL,	
		IN,	IS,	JP,	KE,	KG,	KP,	KR,	KZ,	LC,	LK,	LR,	LS,	LT,	LU,	LV,	MD,	
		MG,	MK,	MN,	MW,	MX,	NO,	NZ,	PL,	PT,	RO,	RU,	SD,	SE,	SG,	SI,	SK,	
		SL,	TJ,	TM,	TR,	TT,	UA,	UG,	UZ,	VN,	YU,	ZA,	ZW					
	RW:	GH,	GM,	KE,	LS,	MW,	SD,	SL,	SZ,	TZ,	UG,	ZW,	AT,	BE,	CH,	CY,	DE,	
		DK,	ES,	FI,	FR,	GB,	GR,	ΙE,	IT,	LU,	MC,	NL,	PT,	SE,	BF,	ВJ,	CF,	
		CG,	CI,	CM,	GA,	GN,	GW,	ML,	MR,	NE,	SN,	TD,	TG					
US	6287	546																
AU	9962	962			A		2000	0501		AU 1	999-	6296	2		1	9991	007	<
	7660				B2		2003	1009										
	9914				A		2001	0626										
										EP 1	999-	9502	68		19991007 <			
EP	1119	339			B1		2007	0926										
	R:									GR,	IT,	LI,	LU,	NL,	SE,	MC,	PT,	
							RO,											
TR	2001	0180	5		T2		2001	1221			2001-							
NZ	5110 2232 3740	38			A		2003	0829		NZ 1	.999-	5110	38		1	9991	007	<
RU	2232	010			C2		2004	0710		RU 2	2001-	1124	14		1	9991	007	<
AT	3740	58			Τ		2007	1015		AT 1	.999-	9502	68		1	9991	007	<
	5891										999-							
ZA	2001	0027	75		A		2002	0704		ZA 2	2001-	2775			2	0010	404	<
	2001																	
	2001										2001-							
	1037				A1		2008	0509			2001-							
PRIORIT	Y APP	LN.	INFO	. :							998-							
											999-							
OTHER CO	HER SOURCE(S):				MADI	D T T	122.	2004		WO 1	.999-	US23	465		w 1	9991	007	<
OTURK 20	JUKCE	(0):			PIAR	CWT	132:	Z 7 8 4.	J Z									

AB This invention relates to improved stabilized shampoo compns. contq. siloxysilicate materials commonly referred to as MQ resins, wherein the stabilizers are selected from (i) >C14 long-chain fatty alcs.; (ii) acrylate/steareth-20 methacrylate copolymer; acrylate copolymers; and acrylates/C10-30 alkyl acrylate crosslinked polymer; and (iii) N,N-disubstituted phthalamic acids and their ammonium salts. Thus, a shampoo formulation contained ammonium lauryl sulfate 16.80, monobasic sodium phosphate 0.30, Polyquaternium-10 0.25, cocodiethanolamide 2.00, guar gum 0.22, distearyldimonium chloride 0.25, MQ resin 2.50, acrylic polymer 1.65, fragrance 0.75, and preservative 0.07%, and water gs.

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L2 ANSWER 12 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN ACCESSION NUMBER: 2000:227740 CAPLUS Full-text

DOCUMENT NUMBER: 132:252848

TITLE: Preparation of antimicrobial detergent

compositions comprising iodide-surfactant complex INVENTOR(S): Ofosu-Asante, Kofi; Boucher, Jeffrey Edward; Evans,

Marcus Wayne; Zint, David Robert
PATENT ASSIGNEE(S): The Procter & Gamble Company, USA

SOURCE: PCT Int. Appl., 25 pp.

CODEN: PIXXD2
DOCUMENT TYPE: Patent

LANGUAGE: English FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND DATE	APPLICATION NO.	DATE
WO 2000018867	A1 20000406	WO 1999-US21572	19990916 <
W: AU, BR, CN,	CZ, JP, MX, RU,	US	
RW: AT, BE, CH,	CY, DE, DK, ES,	FI, FR, GB, GR, IE, IT	, LU, MC, NL,
PT, SE			
AU 9963925	A 20000417	AU 1999-63925	19990916 <
EP 1115829	A1 20010718	EP 1999-951494	19990916 <
R: AT, BE, CH,	DE, DK, ES, FR,	GB, GR, IT, LI, LU, NL	, SE, MC, PT,
IE, FI			
JP 2002525418	T 20020813	JP 2000-572315	19990916 <
US 6387856	B1 20020514	US 2001-787449	20010319 <
PRIORITY APPLN. INFO.:		US 1998-101791P	P 19980925 <
		WO 1999-US21572	W 19990916 <

OTHER SOURCE(S): MARPAT 132:252848

0.001-2% iodine ions complexed with an amphoteric surfactant, 5-90% uncomplexed surfactant selected from the group consisting of anionic surfactants, nonincis surfactants, and mixture thereof, and 5-50% water. The detergent compns. have pH of 7-10. Preferably at least a portion of the iodine ions are added as an iodide in the form of a compound selected from the group consisting of KI. NaI. KOI. NaOI and Ca(OI)2.

Astimicrobial detergent compns. esp. suitable for manual dishwashing comprise

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L2 ANSWER 13 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN ACCESSION NUMBER: 2000:31337 CAPLUS Full-text

DOCUMENT NUMBER: 132:80123

TITLE: Aptimicrobial, no-rinse, hard-surface

cleaners

INVENTOR(S): Zhou, Boli; Stanislowski, Anna G.

PATENT ASSIGNEE(S): The Clorox Company, USA

SOURCE: U.S., 7 pp., Cont. of U.S. Ser. No. 507,543,

abandoned. CODEN: USXXAM

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 6013615	A	20000111	US 1997-807187	19970227 <
US 6284723	B1	20010904	US 2000-480310	20000110 <
PRIORITY APPLN. INFO.:			US 1995-507543 B1	19950726 <
			US 1997-807187 A1	19970227 <

AB The title cleaners with improved residue removal and reduced filming/streaking comprise (a) a solvent selected from C1-6 alkanols, C3-24 alkylene glycol ethers, and their mixts., (b) an amphoteric and/or nonionic surfactant, (c) quaternary ammonium surfactant, and (d) builder in H2O. A typical cleaner contained Barquat MB 50, NaOH, Alfonic 610-50, Barlox 12, BuOCH2CH2OH (solvent) and tetra-Na EDTA (builder) in H2O.

REFERENCE COUNT: 11 THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS RECORD, ALL CITATIONS AVAILABLE IN THE RE FORMAT

L2 ANSWER 14 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN ACCESSION NUMBER: 1999:808638 CAPLUS Full-text

DOCUMENT NUMBER: 132:37917

TITLE: Non-toxic antimicrobial lubricant

INVENTOR(S): Lindman, Gerald

PATENT ASSIGNEE(S): American Eagle Technologies, Inc., USA

SOURCE: U.S., 4 pp., Cont.-in-part of Ser. No. US 1997-897133,

filed on 18 Jul 1997, now

CODEN: USXXAM

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 6004909	A	19991221	US 1999-243150	19990202 <
US 5869436	A	19990209	US 1997-897133	19970718 <
PRIORITY APPLN. INFO.:			US 1997-897133 A2	19970718 <
			US 1996-730355 B1	19961015 <

AB A non-toxic antimicrobial boundary lubricant comprises a major portion of a base oil composed either sep. or in various combinations of animal, vegetable and/or petroleum oils and a minor portion of an extreme pressure additive; an antioxidant; and an antimicrobial compound The lubricant has a pH of 7.40 (±0.15 pH units) and preferably contains chlorhexidine gluconate as an antimicrobial compound

REFERENCE COUNT: 27 THERE ARE 27 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L2 ANSWER 15 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN ACCESSION NUMBER: 1999:795520 CAPLUS Full-text

DOCUMENT NUMBER: 132:37301

TITLE: Compositions comprising aromatic sulfonate surfactant,

sulfonated ester, nonionic surfactant and

water-soluble solvent, and process for cleaning and

finishing hard surfaces

INVENTOR(S): Pedersen, Daniel E.; Lascotte, Keith G.

PATENT ASSIGNEE(S): Ecolab Inc., USA

SOURCE: Eur. Pat. Appl., 17 pp. CODEN: EPXXDW

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1 PATENT INFORMATION:

DATE PATENT NO. KIND DATE APPLICATION NO. ----EP 964056 A2 19991215 EP 1999-110844 19990607 <--EP 964056 A3 20000105 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO AU 9929097 A 19991216 AU 1999-29097 19990518 <--AU 756776 B2 20030123 CA 2273741 A1 19991208 CA 1999-2273741 19990607 <--MX 9905265 20020108 MX 1999-5265 A 19990607 <--JP 2000087092 20000328 JP 1999-161052 19990608 <--A US 1998-93321 A 19980608 <--PRIORITY APPLN. INFO.:

OTHER SOURCE(S): MARPAT 132:37301 AB

The patent relates to an aq. low-foam hard surface finishing cleaner composition that can be used to remove soil residue on a hard surface leaving a clean shiny surface and the cleaner comprising: (a) an effective soil removing amount of an aromatic sulfonate surfactant, (b) an effective amount of a sulfonate ester, (c) an effective defoaming amount of a nonionic defoaming surfactant, and (d) a major proportion of water soluble solvent. The water soluble solvent is selected from a lower alkanol such as methanol, ethanol, isopropanol, n-propanol and mixts. thereof, and monoalkylether of aliphatic glycol, polyethylene glycol and polypropylene glycol. Hard surfaces such as tile, metal, glass, etc. typically in hospitality locations can be cleaned to a bright, shiny, residue-free appearance using a process comprising cleaning the surface with a first cleaning composition and removing the resulting cleaner residue with a finish cleaner composition. The finish cleaner composition removes all trace of soil and cleaner from the first step and dries to a bright, shiny, spot-free, streak-free, and film-free appearance without a need for a final wipe step.

L2 ANSWER 16 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN ACCESSION NUMBER: 1999:772223 CAPLUS Full-text

DOCUMENT NUMBER: 132:6409

TITLE: One liquid-type deodorant cleaners for car interior and method for deodorization

INVENTOR(S): Kobayashi, Akio; Takishita, Katsuhisa; Etsuzan,

Takeshi

PATENT ASSIGNEE(S):

Ishihara Yakuhin Co., Ltd., Japan SOURCE: Jpn. Kokai Tokkvo Koho, 7 pp.

CODEN: JKXXAF Patent

DOCUMENT TYPE: LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 11332960	A	19991207	JP 1998-144435	19980526 <
JP 3963411	B2	20070822		
PRIORITY APPLN. INFO			TP 1998-144435	19980526 <

One liq.-type deodorant cleaners contg. org. antimicrobial agents 0.01-20, AB deodorants 0.5-10 and surfactants 0.1-20 weight% for car interior and method for deodorization are claimed. A method for deodorization involves: spraying the deodorants to the car interior and removing the stains with steam cleaner.

L2 ANSWER 17 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1999:717946 CAPLUS Full-text DOCUMENT NUMBER: 131:303235

TITLE:

Skin cleanser comprising surfactants and

antimicrobial compositions

Popplewell, John David; Wigley, Rosemary Beth INVENTOR(S): PATENT ASSIGNEE(S): Johnson & Johnson (Proprietary) Limited, S. Afr.

SOURCE: S. African, 13 pp.

CODEN: SFXXAB

DOCUMENT TYPE: Pat.ent. LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO. KIND DATE DATE APPLICATION NO. A 19960801 ZA 1996-373 ZA 9600373 19960117 <--ZA 1994-8173 A 19941018 <--PRIORITY APPLN. INFO.: AB A surfactant base for aptimicrobial compns., which includes at least one

surfactant compatible with cationic antimicrobial agents is disclosed for skin cleansing. A liquid soap formulation contained Crodasinic LS30 10.00, Tegobetaine L7 10.00, Plantaren-2000 5.00, Empilan 2502 2.50, Aminoxid WS35 4.00, Crothix 2.00, Abilguat 3272 0.40, chlorhexidine gluconate 1.50, Perfume SO5372C/L 0.50, Brown FK16387 0.46, 0.1% Lissamine vellow 2G 0.26, and water 64.44%.

L2 ANSWER 18 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN ACCESSION NUMBER: 1999:708579 CAPLUS Full-text

DOCUMENT NUMBER: 131:327309

TITLE: Lathering surfactants in cleansing compositions for skin and/or hair which also deposits skin care actives

Albacarys, Lourdes Dessus; McAtee, David Michael; INVENTOR(S):

Deckner, George Endel
PATENT ASSIGNEE(S): Procter + Gamble Co., USA SOURCE:

PCT Int. Appl., 94 pp.

CODEN: PIXXD2 DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 8 PATENT INFORMATION:

PATENT NO.	KIND DATE	APPLICATIO	ON NO.	DATE		
WO 9955303	A1 19991	L104 WO 1999-IE	3635	19990412 <		
W: AL, AM, AT,	AU, AZ, BA,	BB, BG, BR, BY, C	CA, CH, CN, CU,	CZ, DE,		
DK, EE, ES,	FI, GB, GD,	GE, GH, GM, HR, F	HU, ID, IL, IN,	IS, JP,		
KE, KG, KP,	KR, KZ, LC,	LK, LR, LS, LT, I	JU, LV, MD, MG,	MK, MN,		
MW, MX, NO,	NZ, PL, PT,	RO, RU, SD, SE, S	G, SI, SK, SL,	TJ, TM,		
TR, TT, UA,	UG, US, UZ,	VN, YU, ZA, ZW				
RW: GH, GM, KE,	LS, MW, SD,	SL, SZ, UG, ZW, A	AT, BE, CH, CY,	DE, DK,		
ES, FI, FR,	GB, GR, IE,	IT, LU, MC, NL, E	T, SE, BF, BJ,	CF, CG,		
CI, CM, GA,	GN, GW, ML,	MR, NE, SN, TD, T	čG			
CA 2332948	A1 19991	L104 CA 1999-23	332948	19990412 <		

```
AU 9929524 A
                                 19991116 AU 1999-29524 19990412 <--
     AU 756691 B2 20030123
BR 9909629 A 20001219 BR 1999-9629
EP 1071396 A1 20010131 EP 1999-910615
     AU 756691
                                                                           19990412 <--
                                                                           19990412 <--
         R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, PT, IE, FI
     JP 2002512944 T 20020508 JP 2000-545503 19990412 <---
MX 2000PA10386 A 20010731 MX 2000-Dainage 20020222
PRIORITY APPLN. INFO.:
                                                 US 1998-83015P P 19980424 <--
WO 1999-IB635 W 19990412 <--
```

The present invention relates to a substantially dry, disposable, personal cleansing article useful for both cleansing the skin or hair and delivering skin care actives onto the skin or hair. These articles are used by the consumer by (i) wetting the dry article with water and (ii) generating lather by subjecting the wetted article to mech. forces, e.g., rubbing. The article comprises a water insol. substrate, a lathering surfactant, and a skin care active component. Preferably, the articles of the present invention further comprise a deposition aid and/or a conditioning component. E.g., a surfactant phase was prepared by dissolving hydroxyethyl cellulose 0.25% and guar gum 0.25% in water (to 100% by weight) and then adding the following ingredients: Na lauroyl sarcosinate 3.33, cocamidopropyl betaine 3.33, decyl polyglucoside 3.33, Me paraben 0.25, phenoxyethanol 0.3, and benzyl alc. 0.3%, resp.. At the end, a 1.5-2.5 g of the mixture containing water 2.0 g, butylene glycol 2.0 g, and Pr paraben 0.15 g was added to the first mixture and dried. A skin care active phase was prepared containing SEFA cottonate 43.0, petrolatum 10.00, tribehenin 5.0, polyethylene wax 9.0, synthetic beeswax 3.0, C10-30 cholesterol/lanosterol esters 23.0, vitamin A acetate 2.0, and TiO2 5.0 parts. A 0.05-0.75 g of this phase was mixed with the surfactant phase to obtain a skin or hair cleansing composition

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L2 ANSWER 19 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN ACCESSION NUMBER: 1999:483382 CAPLUS Full-text

DOCUMENT NUMBER: 131:101552

TITLE: Fresh produce wash for increasing shelf life

INVENTOR(S): Green, Bruce Phillip

PATENT ASSIGNEE(S): Health and Hygiene International Pty. Ltd., Australia SOURCE:

PCT Int. Appl., 28 pp.

CODEN: PIXXD2 DOCUMENT TYPE: Patent English

LANGUAGE: FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION: D3.000100 110

		rent :				KIN	D	DATE			APPL	ICAT.	ION	NO.		D.	ATE		
		9937				A1		1999	0729		WO 1:	999-	AU46			1	9990	121 <-	
		W:	AL,	AM,	AT,	AU,	AZ,	BA,	BB,	BG,	BR,	BY,	CA,	CH,	CN,	CU,	CZ,	DE,	
			DK,	EE,	ES,	FI,	GB,	GD,	GE,	GH,	GM,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	
			KE,	KG,	KP,	KR,	KZ,	LC,	LK,	LR,	LS,	LT,	LU,	LV,	MD,	MG,	MK,	MN,	
			MW,	MX,	NO,	NZ,	PL,	PT,	RO,	RU,	SD,	SE,	SG,	SI,	SK,	SL,	ΤJ,	TM,	
			TR,	TT,	UA,	UG,	US,	UZ,	VN,	YU,	ZW,	AM,	ΑZ,	BY,	KG,	ΚZ,	MD,	RU,	
			ΤJ,	TM															
		RW:	GH,	GM,	KE,	LS,	MW,	SD,	SZ,	UG,	ZW,	ΑT,	BE,	CH,	CY,	DE,	DK,	ES,	
			FΙ,	FR,	GB,	GR,	IE,	IT,	LU,	MC,	NL,	PT,	SE,	BF,	BJ,	CF,	CG,	CI,	
				GA,	GN,			MR,											
	zA	9900	446			A		1999	0721		ZA 1	999-	446			1	9990	121 <-	
	ΑU	9921	439			A		1999	0809		AU 1	999-:	2143	9		1	9990	121 <-	
PRIOR	RIT	/ APP	LN.	INFO	.:						AU 1					-		121 <-	
											WO 1	999-	AU46		1	W 1	9990	121 <-	

AB A compn. is disclosed for increasing the shelf life of fruit, vegetable and animal produce. The composition is also suitable for removing surface contaminants from fruit, vegetable and animal produce. The composition includes: (a) one or more surfactant(s), (b) one or more anti-microbial, fungicidal and/or fungistat agent(s), (c) one or more buffering agent(s) and/or sequestering agent(s), (d) one or more anti-browning agent, and (e) one or more stabilizer(s) and/or processing additive(s). The composition is applied to the produce and optionally, the produce is subsequently rinsed with water.

REFERENCE COUNT: 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L2 ANSWER 20 OF 68 CAPLUS COPYRIGHT 2008 ACS on STN ACCESSION NUMBER: 1999:483349 CAPLUS $\underline{\text{Full-text}}$

DOCUMENT NUMBER: 131:103782

TITLE: Solid activator composition for use with oxygen

INVENTOR(S): Oberlander, Michael; Langguth, Robert P.

PATENT ASSIGNEE(S): Noramtech Corporation, USA

SOURCE: U.S., 5 pp.

CODEN: USXXAM DOCUMENT TYPE: Patent

LANGUAGE: English FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 5932531	A	19990803	US 1997-938759	19970926 <
PRIORITY APPLN. INFO.:			US 1997-938759	19970926 <
AB Solid activator of	compns. fo	or activati	ng 0-based bleach in	detergents at
relatively low te	emps. pre:	ferably inc	lude resp. quantities	of (Ac2NCH2)2,
phosphate sequest	ering age	ent, non-ph	osphate solidifying a	gent, e.g., Na2SO4,
NaCl, etc., anion	nic, noni	onic and/or	amine oxide surfacta	nts and H2O. The
activator bodies	are read:	ily dispers	ible in hot H2O to for	rm dilute dispersions
which can be adde	ed direct	ly to clean	ing equipment along w	ith O-based bleach.
The activator enh	ances ble	eaching eff	ectiveness and genera	tes peracetic acid, a
potential antimic	crobial.	A preferre	d activator composition	on contains H2O 30.0,

tripolyphosphate 22.0 and polyglucoside (nonionic surfactant) 2.0%.

REFERENCE COUNT: 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS

RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

Na polyacrylate (45-50%) 5.0, (Ac2NCH2)2 8.0, tetrasodium pyrophosphate 18.0, Na2SO4 11.8, Na alkylbenzenesulfonates (90%) 3.0, Tinopal CBS 0.2, pentasodium

=> s amine and antimicrobial

0 AMINE 0 ANTIMICROBIAL

L3 0 AMINE AND ANTIMICROBIAL

=> file caplus COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION FULL ESTIMATED COST 1.86 105.41 SINCE FILE DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) TOTAL ENTRY SESSION CA SUBSCRIBER PRICE 0.00 -16.00 FILE 'CAPLUS' ENTERED AT 12:10:52 ON 29 SEP 2008 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 29 Sep 2008 VOL 149 ISS 14 FILE LAST UPDATED: 28 Sep 2008 (20080928/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2008.

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/legal/infopolicy.html

1.6

```
=> s amine and antimicrobial
        296499 AMINE
        271369 AMINES
        449408 AMINE
                 (AMINE OR AMINES)
         81286 ANTIMICROBIAL
          5696 ANTIMICROBIALS
         83031 ANTIMICROBIAL
                 (ANTIMICROBIAL OR ANTIMICROBIALS)
1.4
          2382 AMINE AND ANTIMICROBIAL
=> s (alkvl amine) and antimicrobial
        618503 ALKYL
          6730 ALKYLS
        621547 ALKYL
                 (ALKYL OR ALKYLS)
        296499 AMINE
        271369 AMINES
        449408 AMINE
                 (AMINE OR AMINES)
          3275 ALKYL AMINE
                 (ALKYL(W)AMINE)
         81286 ANTIMICROBIAL
          5696 ANTIMICROBIALS
         83031 ANTIMICROBIAL
                 (ANTIMICROBIAL OR ANTIMICROBIALS)
L5
            27 (ALKYL AMINE) AND ANTIMICROBIAL
=> s 15 and (py<2001 and ay<2001 and pry<2001)
      21004357 PY<2001
      3941897 AY<2001
      3411245 PRY<2001
```

8 L5 AND (PY<2001 AND AY<2001 AND PRY<2001)

L6 ANSWER 1 OF 8 CAPLUS COPYRIGHT 2008 ACS on STN ACCESSION NUMBER: 2000:529214 CAPLUS Full-text

DOCUMENT NUMBER: 133:122024

TITLE: Aprimicrobial multi purpose cleaner

containing a cationic surfactant, disinfectant,

boosters, and cosurfactants

INVENTOR(S): Mondin, Myriam; Blanvalet, Claude; Andries, Nicole; Fonsny, Pierre; Dormal, Didier

PATENT ASSIGNEE(S): Colgate Palmolive Company, USA

SOURCE: U.S., 7 pp., Cont.-in-part of U.S. Ser. No. 342,548,

abandoned.

DOCUMENT TYPE: CODEN: USXXAM
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

	PATENT NO.				KIND DATE			APPLICATION NO.						DATE			
HS	6096	701			A		2000	0801		115 1	aaa_	1616	1.1		1.	9991	215 <
	2001		77														529 <
110	W:						AU,										
	W .																
							DM,										
		HU,	ID,	IL,	IN,	IS,	JP,	KE,	KG,	KΡ,	KR,	ΚZ,	LC,	LK,	LR,	LS,	LT,
		LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	MZ,	NO,	NZ,	PL,	PT,	RO,	RU,
		SD,	SE,	SG,	SI,	SK,	SL,	TJ,	TM,	TR,	TT,	TZ,	UA,	UG,	UZ,	VN,	YU,
		ZA,	ZW,	AM,	AZ,	BY,	KG,	KZ,	MD,	RU,	TJ,	TM					
	RW:	GH,	GM,	KE,	LS,	MW,	MZ,	SD,	SL,	SZ,	TZ,	UG,	ZW,	AT,	BE,	CH,	CY,
		DE,	DK,	ES,	FI,	FR,	GB,	GR,	IE,	IT,	LU,	MC,	NL,	PT,	SE,	BF,	BJ,
		CF,	CG,	CI,	CM,	GA,	GN,	GW,	ML,	MR,	NE,	SN,	TD,	TG			
EP	1194	517			A1		2002	0410		EP 2	000-	9469	15		2	0000	529 <
	R:	AT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	IT,	LI,	LU,	NL,	SE,	MC,	PT,
		IE,	SI,	LT,	LV,	FI,	RO										
PRIORIT:	Y APP	LN.	INFO	. :						US 1	999-	3425	48	1	B2 1	9990	529 <
										US 1	999-	4616	11	- 2	A 1	9991:	215 <

AB Compns. which are esp. effective in disinfecting and in the removal of oily and greasy soil contain a mixture of a disinfecting agent selected from C8-16 alkyl amines, C8-16 alkyl benzyl di-Me ammonium chlorides, C8-16-dialkyl di-Me ammonium chloride, chlorhexidine and mixts. 0.1-10, a booster agent for the disinfecting agent 0.05-6, a sulfonate surfactant 0.1-10, a hydrocarbon ingredient 0.05-3, fatty acid 0.1-2.5, ethoxylated nonionic surfactant 0.1-10, a water-soluble cosurfactant 0.1-10%, and the balance H2O. An example cleaner contained paraffin sulfonate 1, Plurafac LF300 4, Neodo 191/2.5 c thoxylated hexanol 4, coco fatty acid 0.5, Bardac 2170 2.5, perfume 0.8%, and the balance water.

WO 2000-US18005

W 20000629 <--

REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 2 OF 8 CAPLUS COPYRIGHT 2008 ACS on STN ACCESSION NUMBER: 1999:383958 CAPLUS Full-text

DOCUMENT NUMBER: 131:20615

TITLE: Antimicrobial multi purpose microemulsion

compositions

INVENTOR(S): Fonsny, Pierre; Burke, Julie; Dormal, Didier

PATENT ASSIGNEE(S): Colgate Palmolive Company, USA

SOURCE: U.S., 8 pp. CODEN: USXXAM

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 4

PATENT INFORMATION:

	TENT				KIN	D	DATE			APPL	ICAT	ION I	NO.			ATE	
	5911 9931				A A1		1999 1999										212 <
	W:	DK, KE, MW,	EE, KG, MX,	ES, KP, NO,	FI, KR, NZ,	GB, KZ, PL,	BA, GD, LC, PT, VN,	GE, LK, RO,	GH, LR, RU,	GM, LS,	HR, LT,	HU, LU,	ID, LV,	IL, MD,	IN, MG,	IS, MK,	JP, MN,
		GH, FI, CM,	GM, FR,	KE, GB,	LS, GR, GW,	MW, IE, ML,	SD, IT, MR,	SZ, LU, NE,	UG, MC, SN,	NL, TD,	PT, TG	SE,	BF,		CF,	CG,	CI,
US US	9918 6121 6323	224 171			A A B1		1999 2000 2001	0919		US 1	998-: 000-	2184 4793	00 46		1 2	9981	210 < 222 < 107 <
PRIORIT	Y APP	LN.	INFO	. :						US 1: US 1: WO 1:	998-	1096	90		A 1	9980	212 < 702 < 210 <

OTHER SOURCE(S): MARPAT 131:20615

The microemulsion compns. which are esp. effective in disinfecting the surface being cleaned and in the removal of oily and greasy soil without leaving streaks comprise a mixture of ≥1 disinfecting agent of C8-16 alkyl amine, C8-16 dialkyl di-Me ammonium chloride, C8-16 alkyl benzyl dimethylammonium chloride and/or chlorohexidine, ≥1 surfactant of an ethoxylate nonionic surfactant, an amphoteric surfactant, a cationic surfactant and/or an amphoteric surfactant, a water-soluble solvent, a hydrocarbon ingredient, essential or perfume and water. Thus, a composition having pH 8.9 was made from Neodol 91-5 1.55, Amphionic SFB 0.9, propylene glycol Bu ether 4 and balanced water.

REFERENCE COUNT:

THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 3 OF 8 CAPLUS COPYRIGHT 2008 ACS on STN ACCESSION NUMBER: 1999:27916 CAPLUS Full-text

DOCUMENT NUMBER: 130:83906

TITLE: Lubricant concentrates and aqueous lubricants

containing alkaline ether amines and diamines for conveyor belts

INVENTOR(S): Person Hei, Kimberly L.; Besse, Michael E.; Sykes,

Christopher S. PATENT ASSIGNEE(S): Ecolab Inc., USA

PCT Int. Appl., 21 pp. SOURCE:

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PA:	ENT	NO.			KIN	D	DATE			APPL	ICAT	ION	NO.		D.	ATE		
						_												
WO	9859	023			A1		1998	1230		WO 1	998-1	US98	06		1	9980	512 <	
	W:	AL,	AM,	AT,	AU,	AZ,	BA,	BB,	BG,	BR,	BY,	CA,	CH,	CN,	CU,	CZ,	DE,	
		DK,	EE,	ES,	FI,	GB,	GE,	GH,	GM,	GW,	HU,	ID,	IL,	IS,	JP,	KE,	KG,	

```
KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX,
                                        NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT,
                                        UA, UG, UZ, VN, YU, ZW
                            RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES,
                                        FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI,
                                        CM, GA, GN, ML, MR, NE, SN, TD, TG
               US 5932526 A 19990803 US 1997-879963
                                                                                                                                                                                                             19970620 <--
               CA 2291246
                                                                           A1 19981230 CA 1998-2291246
                                                                                                                                                                                                           19980512 <--
               CA 2291246 C 20070626
AU 9874856 A 19990104 AU 1998-74856
AU 743671 B2 20020131
EP 990018 A1 20000405 EP 1998-922269
EP 990018 B1 20030423
                                                                                                                                                                                                             19980512 <--
                                                                                                                                                                                                           19980512 <--
                          R: BE, DE, FR, GB, IT, NL, SE
               NZ 500840 A 20000825 NZ 1998-500840
BR 9810049 A 20000919 BR 1998-10049
                                                                                                                                                                                                           19980512 <--
                                                                                                                                                                                                            19980512 <--
               JP 2002505705
                                                                           т
                                                                                             20020219 JP 1999-504409
                                                                                                                                                                                                            19980512 <--
                                                                         B2 20080319
               JP 4065031
                                                                         C 20030101 CN 1998-806293
B1 20051230 PL 1998-337518
                CN 1097631
                                                                                                                                                                                                            19980512 <--
                                                                                                                                    The second secon
ZA 9805234 A 20000110 ZA 1998-337518
MX 9912040 A 20000930 MX 1999-12040
PRIORITY APPLN. INFO:
                                                                        MARPAT 130:83906
OTHER SOURCE(S):
                 of ≥1 ether amine, of general formula R1-O-R2-NH2, or ether diamine, of
```

AB

A lubricant conc., at pH .qtorsim.10, esp. for belt conveyors, contains: (1) general formula R1-O-R2-NH-R3-NH2 (R1 = linear, branched, saturated, or unsatd. C6-18-alkyl; R2 = linear or branched C1-8-alkylene; R3 = linear or branched C1-8-alkylene), and (2) a surfactant to solubilize the ether amine or ether diamine when diluted with water. Preferred compds. for the ether amines or ether diamines are when R1 = C12-16-alkyl, R2 = C2-6-alkylene, and R3 = C2-6-alkylene. The lubricant, when diluted, contains 10-10,000 (preferably 50-2000) ppm of the active ether amines or diamines; the concentrate contains 0.25-75 (preferably 0.5-50) weight% of the active compds. The surfactant, present at 0.5-50 weight% concentration, is preferably a nonionic surfactant chosen from ethoxylated alkylphenols, ethoxylated primary alc. or secondary alc., an ethoxylated linear alkyl amine, and an ethoxylated linear alkyl ether amine. In addition, the lubricant can contain antimicrobial additives and alkalinity-inducing agents.

REFERENCE COUNT: THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 4 OF 8 CAPLUS COPYRIGHT 2008 ACS on STN ACCESSION NUMBER: 1989:74130 CAPLUS Full-text

DOCUMENT NUMBER: 110:74130

ORIGINAL REFERENCE NO.: 110:12227a,12230a

TITLE: Stable antimicropial compositions containing alkylamine oxides and carboxylic acids

Stanton, James H.; Lichorat, James L.; Lopes, John A. INVENTOR(S): PATENT ASSIGNEE(S): Diversey Corp., Can.

Eur. Pat. Appl., 24 pp. SOURCE:

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1 PATENT INFORMATION:

PATENT NO. KIND DATE APPLICATION NO. DATE

EP	245928		A2	19871119	EP	1987-302215		19870316	<
EP	245928		A3	19891206					
EP	245928		B1	19940126					
	R: AT,	, BE, I	DE, ES,	FR, GB, IT,	NL, SI	Ξ			
US	4715980		A	19871229	US	1986-840336		19860317	<
US	4776974		A	19881011	US	1987-20367		19870302	<
CA	1275245		C	19901016	CA	1987-531940		19870313	<
CA	1275918		C	19901106	CA	1987-531942		19870313	<
DK	8701342		A	19870918	DK	1987-1342		19870316	<
DK	171460		B1	19961111					
AT	100669		T	19940215	AT	1987-302215		19870316	<
ES	2061488		T3	19941216	ES	1987-302215		19870316	<
US	4715980		B1	19920407	US	1991-9000234	9	19910220	<
PRIORIT:	APPLN.	INFO.:			US	1986-840336	A	19860317	<
					US	1987-20367	A	19870302	<
					EP	1987-302215	A	19870316	<
AB An	antimic	robial	conc.	which is low	-foami	ng, stable, a	and is	effective	again

AB An antimicrobial conc. which is low-foaming, stable, and is effective against Gram-neg, and Gram-pos. bacteria and yeasts when diluted comprises an antimicrobial agent selected from mono- or dicarboxylic acids of general formula R3COOH (R3 = C6-12 straight or branched, saturated or unsatd. alkyl) and HOOCXRIRZCOOH (X = C2 saturated or unsatd. hydrocarbon; R1 = C6-12 substituted or unsubstituted n-alkyl or n-alkenyl; R2 = H or alc. group), resp., or their mixture, a solubilizer, a diluent, and an acid to give pH ≤5.0 upon dilution A solution containing 500 ppm. each of n-octenylsuccinic acid and Na xylene sulfate and Na2HFO4-citric acid buffer to pH 3.0-3.9 gave ≥99.99% kill of Staphylococcus aureus and Escherichia coli within 30 s.

L6 ANSWER 5 OF 8 CAPLUS COPYRIGHT 2008 ACS on STN ACCESSION NUMBER: 1989:23322 CAPLUS Full-text

DOCUMENT NUMBER: 110:23322

ORIGINAL REFERENCE NO.: 110:3933a,3936a

TITLE: Preparation of N,N'-bis(alkyldimethyl)-3-oxa-1,5pentanediammonium dibromides as antimicrobia!

agents

INVENTOR(S): Devinsky, Ferdinand; Lacko, Ivan; Bittererova, Fabiola

PATENT ASSIGNEE(S): Czech.
SOURCE: Czech., 3 pp.
CODEN: CZXXA9
DOCUMENT TYPE: Patent

LANGUAGE: Slovak
FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO. KIND DATE APPLICATION NO. DATE

CS 245099 B1 19860814 CS 1985-3253 19850506 <-PRIORITY APPLN. INFO:: CS 1985-3253 19850506

AB RMe2N+CH2CH2CH2CH2CH2HNMe2R 2Br- (I; R = C6-16 alkyl) are prepd. either (1) by reaction of BrCH2CH2CCH2CH2Br (II) with RNNe2 or (2) by reaction of Me2NCH2CH2NMe2 with RBr. BucH2CH2CH2NE4 was added to II in MeCN and the mixture refluxed 12 h to give 93.9% I (R = BuCH2CH2). The min. hinbition concentration of the latter against Staphylococcus aureus was 1000 µg/mL.

L6 ANSWER 6 OF 8 CAPLUS COPYRIGHT 2008 ACS on SIN ACCESSION NUMBER: 1979:427188 CAPLUS Full-text DOCUMENT NUMBER: 91:27188

ORIGINAL REFERENCE NO.: 91:4385a,4388a

TITLE .

Antimicrobial compositions

INVENTOR(S): Michaels, Edwin B.

PATENT ASSIGNEE(S): SOURCE:

Can., 15 pp. CODEN: CAXXA4 Patent

DOCUMENT TYPE: LANGUAGE: English

FAMILY ACC. NUM. COUNT: 5

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
CA 1052274	A1	19790410	CA 1976-267592	19761210 <
US 4062976	A	19771213	US 1975-641730	19751218 <
PRIORITY APPLN. INFO.:			US 1975-641730 A	19751218 <

Antimicrobial compns. to control body odor and topical infections, with enhanced efficacy and safety, comprise an alkylalanine, RNHCH2CH2CO2H or RN(CH2CH2CO2H)2 where R = C10-18 aikyl, amine oxides R1N(O)Me2,

R1N(O)(CH2CH2OH)2 or R1CONH(CH2)3N(O)Me2, where R1 = C10-18 alkyl and an acid to adjust the pH from 4-6. A body wash containing N-cocoalanine 6, cocoamido-N,N-dimethylamine oxide 6 and citric acid [77-92-9] 0.55% in distilled water, having pH 5, controlled body odor from 48-96 h.

L6 ANSWER 7 OF 8 CAPLUS COPYRIGHT 2008 ACS on STN ACCESSION NUMBER: 1971:551849 CAPLUS Full-text

DOCUMENT NUMBER:

75:151849 ORIGINAL REFERENCE NO.: 75:23953a,23956a

TITLE:

Condensation products from 4-(quanylazo)-4-

deoxyrifamycin SV with alkyl amines Maggi, Nicola; Sensi, Piero

INVENTOR(S): PATENT ASSIGNEE(S): Gruppo Lepetit S.p.A.

SOURCE: Ger. Offen., 15 pp. CODEN: GWXXBX

DOCUMENT TYPE: Patent LANGUAGE: German FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

DA MINIMA NO	******	D3.000	3 DD1 703 FT01 110	D3.000
PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 2104874	A	19710916	DE 1971-2104874	19710203 <
BE 762657	A1	19710716	BE 1971-99517	19710208 <
CA 956306	A1	19741015	CA 1971-105634	19710217 <
NL 7102151	A	19710825	NL 1971-2151	19710218 <
NL 167164	В	19810616		
NL 167164	C	19811116		
US 3979376	A	19760907	US 1971-116601	19710218 <
CH 525233	A	19720715	CH 1971-525233	19710222 <
JP 50037680	В	19751204	JP 1971-8082	19710222 <
FR 2081534	A5	19711203	FR 1971-6109	19710223 <
FR 2081534	A1	19711203		
GB 1283187	A	19720726	GB 1971-1283187	19710419 <
PRIORITY APPLN. INFO.:			IT 1970-20973 A	19700223 <

Antimicrobial condensation products from 4-(quanylazo)-4- deoxyrifamycin SV (I) with alkyl amines, e.g. H2NCH2CH2NH2 (II), H2NCH2CH2NHMe, HOCH2CH2NH2, MeNH(CH2)3NH2, 1,1-diethyldiethylenetriamine, or N-cyclohexyl-1,3propanediamine, were prepared. The condensation products are of low toxicity and especially active against Mycobacterium tuberculosis H37Rv, the growth of which is inhibited at concns. of 0.001-0.002 g/ml. Thus, 1 g II was added to $1\ g\ I$ in THF and kept $24\ hr$ at $20-30^{\circ}$ to give 39% I-II condensation product. Seven other condensation products were similarly prepared

L6 ANSWER 8 OF 8 CAPLUS COPYRIGHT 2008 ACS on STN ACCESSION NUMBER: 1963:52852 CAPLUS Full-text

DOCUMENT NUMBER: 58:52852

ORIGINAL REFERENCE NO.: 58:8934d-h,8935a-b
TITLE: Diamine compounds

INVENTOR(S): Goldberg, Moses W.; Teitel, Sidney

PATENT ASSIGNEE(S): Hoffman-La Roche Inc.

SOURCE: 3 pp.
DOCUMENT TYPE: Patent

DOCUMENT TYPE: Patent
LANGUAGE: Unavailable

FAMILY ACC. NUM. COUNT: 1 PATENT INFORMATION:

PATENT NO. KIND DATE APPLICATION NO. DATE

US 3064039 19621113 US 1958-733814 19580508 <-PRIORITY APPLN. INFO.:

AB The title compds. have the formula I, where m is 0 or 1, R is a lower alkyl

radical, for example, methyl to heptyl and R' is an alkylene group containing 2 to 10 C atoms. X is an anion from organic and inorg, acids such as hydrohalic or other mineral acids. The title compds, are prepared by treating

two moles [1-methyl-3-(2,6,6-trimethyl-1-cyclohexen-1- yl)butyl]di(loweralkvl)amine or a [2-methyl-4-(2,6,6-trimethyl-1-cyclohexen-1-yl)butyl]di(lower-alkyl)amine with one mole α, ω -dihaloalkane. The compds. are useful as antimicrobial agents. They are active against Trichophyton mentagrophytes, Microsporon lanosum, and Trichomonas vaginalis. In an example, 5 teaspoons of Raney Ni catalyst were added to a solution of 250 g. 8-ionone and 200 g. anhydrous methylamine in 400 ml. EtOH. The mixture was hydrogenated at 150° and 1500 lb./in.2 to yield [1-methyl-3-(2,6,6-trimethyl-1-cyclohexen-1-yl)propyl]methylamine (I), b0.5 117-19°. I (62 g.) was dissolved in 38 ml. 90% HCO2H (II) and 28.5 ml. 35% HCHO added. The mixture was stirred on a steam-bath 3 hrs. and excess II and III were distilled. The residual oil was made strongly alkaline with 50% KOH and Et2Oextd. Washing, drying, and distillation gave [1-methyl-3-(2.6.6-tri-methyl-1-cyclohexen-1-yl)propyl]dimethylamine (IV). b0.2 97-9°. An aliquot of IV, neutralized with (CO2H)2 in EtOH gave [1methyl-3-(2,6,6-trimethyl-1-cyclohexen-1-yl)propyl] dimethylamine monooxalate, m. 189-90°. Similarly, IV with alc. HCl gave [1-methyl-3-(2,6,6-trimethyl-1cyclohexen-1-yl)propyl]di-methylamine hydrochloride, m. 69-71° (MeCN-Et20). IV (13.4 g.) and 1,3-dibromopropane (6.1 g.) were dissolved in 150 ml. absolute EtOH and refluxed 72 hrs.; concentration and trituration with Et20 gave N,N'-bis[1-methyl-3-(2,6,6-trimethyl-1-cyclohexen-1-yl)propyl] - N,N'dimethyl-1,3-propanediamine bis(methobromide)dihydrate, m. 195-6° (Me2CO-

Et20]. Similarly, IV with 1,4-dibromobutane gave N, N'-bis[1-methyl-1-(2,6,6-trimethyl-1-cyclohexen-1-yl)propyl]-N, N'-dimethyl-1,4-butanediamine bis-(methobromide)heminydrate, m. 231-3° (decompose) (MeCN)-Me2CO). IV with 1,5-dibromopentane gave N,N'-bis[1-methyl-3-(2,6,6-trimethyl-1-cyclohexen-1-yl)propyl]-N,N'-dimethyl-1,5-pentanediamine bis(methobromide)sesquihydrate, m. 233-5°, decompose (MeCN-Et2O). IV with 1,6-dibromohexane (V) gave N,N'-bis [1-methyl-3-(2,6,6-trimethyl-1-cyclohexen-1-yl)propyl]-N,N'-dimethyl-1,6-hexanediamine bis(methobromide) monohydrate, m. 245-6° (decompose). IV with 1,7-dibromoheptane gave N,N'-bis[1-methyl-3-(2,6,6-trimethyl-1-cyclohexen-1-yl)propyl]-N,N'-dimethyl-1,7-heptanediamine bis(methobromide) dihydrate, m. 218-19° (Et0H-petr. ether). Hydrogenation of 4-(2,6,6-trimethyl-1-cyclohexen-1-yl)propyll-makhyl-2-buten-1-al and- anhydrous methylamine gave N-(2-methyl-4-(2,6,6-trimethyl-1-cyclohexen-1-yl)putyldimethylamine (VI), Do. 4 100°. VI

with V gave N,N'-bis[2-methyl-4-(2,6,6-trimethyl-1- cyclohexen-1-yl]butyl]-N,N'-dimethyl-1,6-hexanediamine bis(methobromide) dihydrate, m. 225-6° (decompose) (iso-Pc0H). IV with 1,2-dibromoethane gave N,N'-bis[1-methyl-3-(2,6,6-trimethyl-1-cyclohexen-1- yl)propyl]-N,N'-dimethyl-1,2-ethylenediamine bis-(methobromide) monohydrate, m. 157-8° (decompose) (Me2COEt2O). IV with 1,10-dibromodecane gave N,N'-bis[1-methyl-3-(2,6,6-trimethyl-1-cyclohexen-1-yl)propyl]-N,N'-dimethyl-1,10-decanediamine bis(methobromide)sesquihydrate, m. 190-2° CEUR-Me2CO-Et2O).

```
=>
=>
=>
```

---Logging off of STN---